



Add:Room 301,3F,Plant 1,No. 199, Shui'an 1st Road, Xiangzhou District, Zhuhai, China.
Tel:+86-755-23761871 E-mail: intl@seesheen.com Web:www.seesheen.com

© Zhuhai Seesheen Medical Technology Co.,ltd. All rights reserved. Specifications subject to changes without prior notice.



VETERINARY ENDOSCOPY
COMPREHENSIVE SOLUTION




Company Introduction

Zhuhai TK VETKIT Medical Technology Co., Ltd., established in 2021, specializes in the R&D, production, sales, and service of veterinary endoscopes and related surgical consumables. As a wholly-owned subsidiary of Zhuhai Seesheen Medical Technology Co., Ltd., TK VETKIT offers comprehensive endoscopy solutions for veterinary applications. All our products are independently developed, offering a comprehensive range of endoscopes in various specifications. These endoscopes can be paired with multiple image processors to deliver clear and bright images, fully addressing the diagnostic and treatment needs of large, medium, and small animals. **Our products are sold both domestically and internationally, including to over 80 countries such as the United Kingdom, France, the United States, Australia, Spain, and Brazil.** Our domestic sales and service team covers more than 30 provincial-level administrative regions.

Market Distribution

Global professional sales team



Zhuhai Seesheen Medical Technology Co., Ltd., established in 2014, holds over 139 national patents and more than 22 software copyrights. Over the years, Seesheen has developed into a leading enterprise in the field of precise endoscopy in China, earning numerous honors such as "National Specialized and New 'Little Giant' Enterprise," "National High-Tech Enterprise". With over 400 employees, Seesheen's products are distributed to over 3,000 medical institutions both domestically and internationally.

Our company has a robust quality management system and a team of professional engineers. Our subsidiary, Zhuhai JieKang Medical Equipment Repair Co., Ltd., specializes in third-party endoscope repair services. With a 3,000-square-meter repair workshop, we handle over 3,000 endoscope repairs annually. Our strong technical capabilities and reliable after-sales service ensure customer satisfaction.




Overview of Customer Endoscope Installations




Veterinary Flexible Video Endoscopes

Clinical Applications


With a variety of specifications, GU/GF series are suitable for animals from small to big, enabling precise examination and treatment of key areas like the stomach, colon, esophagus, uterus, respiratory tract, and ENT.



Product Features



Veterinary Endoscopy System



GF Series




Image Processor VHP-1315

- 15.6-inch high-definition foldable touchscreen
- 4.0-inch separate touchscreen (air pump and light source control)
- Resolution: 1920x1080 (Full HD)
- Output interfaces: USB*6、DVI*2、SDI*2
- Expandable storage: 64GB USB flash drive
- Light source lifespan: ≥30,000 hours

Specifications

Model	Insertion Tube	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Bending (Left / Right)	Function Keys	Water / air nozzle
GF-14F	5.8mm	2.2mm	1500mm	120°	3-100mm	210°/130°	100°/100°	3	Yes
GF-14	6.8mm	2.2mm	1500mm	120°	3-100mm	210°/130°	100°/100°	3	Yes
GF-14Q	7.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	100°/100°	3	Yes

GU Series



Light Source L-10

- Light brightness: 9 levels adjustable
- Air pump : 3 levels adjustable

Image Processor D-2322

- 21.5-inch high-definition touchscreen
- Resolution: 1920x1080 (Full HD)
- Output interfaces: DC12V*1、HDMI*1、USB*6、LAN*1、COM*1

Specifications

Model	Insertion Tube	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Bending (Left / Right)	Function Keys	Water / air nozzle	Water Jet
GU-160H	6.8mm	2.2mm	1500mm	120°	3-100mm	210°/130°	100°/100°	3	Yes	\
GU-170HQ	7.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	100°/100°	3	Yes	\
GU-170FH	7.8mm	2.2mm	1500mm	140°	3-100mm	180°/130°	100°/100°	3	Yes	\
GU-190FHP	9.2mm	2.8mm	1500mm	140°	3-100mm	180°/130°	100°/100°	3	Yes	Yes
GU-190FHPL	9.2mm	2.8mm	3000mm	140°	3-100mm	180°/130°	100°/100°	3	Yes	Yes
GU-1B0FHPL	11.5mm	3.2mm	3500mm	140°	3-100mm	180°/180°	160°/160°	3	Yes	Yes

Veterinary Flexible Video Endoscopes


CMOS+LED Technology

Non-fiber design makes it durable and easy for maintenance.




Clinical Applications

Enabling precise examination and treatment of key areas such as ENT, bronchus, esophagus, stomach, and urethra from small animals to big animals.



Product Features



Endoscopic Solutions

Image Processor (D-1105)

Endoscope (EC Series)

Handheld Design

- Lightweight and compact, Simple operation
- Convenient for use anytime, anywhere
- 4.0-inch touchscreen
- LED brightness and color adujstment, recording and playback,etc.
- 64G TF Card
- Rechargeable battery supporting 2.5 working hours

Image Processor (D-1211)

Endoscope (EC Series)

Trolley (T-12)

Portable Design

- Space-saving
- Enhanced user experience

EC Series



Image Processor D-1211 + EC Series

Image Processor D-1211

- 10.1-inch touchscreen
- Resolution: 1280x800
- Output interfaces: HDMI*1、BNC*1
- Eetachable 64G SD card
- Rechargeable battery supporting 4 working hours

Specifications

Model	Insertion Tube	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Rotation (Left / Right)	Function Keys	Water / air nozzle
EC-120	2.8mm	1.2mm	610mm	120°	3-100mm	210°/130°	120°/120°	3	\
EC-130	3.8mm	1.5mm	1000mm	120°	3-100mm	180°/130°	120°/120°	3	\
EC-140H	4.8mm	2.0mm	1000mm	120°	3-100mm	180°/130°	120°/120°	3	\
EC-150H	5.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	120°/120°	3	\
EC-250H	5.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	120°/120°	3	Yes

EU Series

High Compatibility



D-2322 Image Processor + EU Series

VHP-1315 Image Processor + EU Series

Laptop + EU Series

Specifications

Model	Insertion Tube	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Rotation (Left / Right)	Function Keys	Water / air nozzle
EU-120	2.8mm	1.2mm	610mm	120°	3-100mm	210°/130°	120°/120°	3	\
EU-130	3.8mm	1.5mm	1000mm	120°	3-100mm	180°/130°	120°/120°	3	\
EU-140H	4.8mm	2.0mm	1000mm	120°	3-100mm	180°/130°	120°/120°	3	\
EU-150H	5.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	120°/120°	3	\
EU-250H	5.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	120°/120°	3	Yes

Veterinary Rigid Endoscopes

Clinical Applications

Suitable for various animal surgeries including abdominal cavity exploration, examination of the bladder and genital tract, sterilization procedures, ovariectomy, cryptorchidectomy, otoscopy, rhinoscopy, etc.



Endoscopic Solutions

FHD Camera Head



- Two million pixels, Full HD 1080P resolution
- Multi-function buttons:
 - ① White Balance
 - ② Capture
 - ③ Record
- Compatible with major brands of rigid endoscopes

Portable Design

- Image Processor D-1211
- Endoscope + Camera Head CM-C12
- Portable Light Source FT105H
- Trolley T-12



- Endoscope + Camera Head CM-U12
- Image Processor VHP-1315
- Light cable VOTH-002
- Trolley VTC-13




Integrated Design

- 21.5-inch HD touchscreen
 - Video standard: 1920*1080
 - Medical report management system
- Light source L-10
 - Light brightness: 9 levels adjustable
 - Air pump : 3 levels adjustable
- High-brightness Light Source
 - Light Source Lifespan: ≥30,000 hours
- Precision Insufflator Machine
 - 7-inch color touchscreen
 - Flow adjustable: 4-25L/min


- Endoscope + Camera Head CM-U12
- Image Processor D-2322
- Camera Light Source L-10
- Light cable VOTH-002
- Insufflator CO2 I-12
- Trolley VTC-13



Surgical Illustrations



Vet otoscope and instruments




NO.	Model	Product	Specification	Quantity	Unit
①	J2900	0° Endoscope	5.5*20*90mm	1	pc.
②	N5151	Biopsy Forceps	5Fr*280mm	1	pc.
③	N5152	Grasping Forceps	5Fr*280mm	1	pc.
④	N5153	Retrieval Forceps	5Fr*280mm	1	pc.




Vet rhinoscope and instruments



NO.	Model	Product	Specification	Quantity	Unit
①	J2200	0° Endoscope	2.7*175mm	1	pc.
②	G4500T1	0° Sheath two-stopcock (Rotatable)	3.3*140mm	1	pc.
③	J2230	30° Endoscope	2.7*175mm	1	pc.
④	G4503T1	30° Sheath two-stopcock (Rotatable)	3.3*140mm	1	pc.
⑤	N4011AW	Outer Sheath	11Fr*135mm	1	pc.
⑥	N5151	Biopsy Forceps	5Fr*280mm	1	pc.
⑦	N5152	Grasping Forceps	5Fr*280mm	1	pc.
⑧	N5153	Retrieval Forceps	5Fr*280mm	1	pc.



Vet laparoscope and instruments



NO.	Model	Product	Specification	Quantity	Unit
①	J1800	0° Endoscope	5mm*290mm	1	pc.
②	LA-050301	30° Endoscope	5mm*290mm	1	pc.
③	101.048	Trocars *2	5.5mm*65mm	1	set
④	101.066	Atraumatic Forceps	5*330mm	1	pc.
⑤	101.057	Scissors (curved)	5*330mm	1	pc.
⑥	101.058	Dissecting Forceps (straight)	5*330mm	1	pc.
⑦	101.059	Dissecting Forceps (curved)	5*330mm	1	pc.
⑧	101.089	Biopsy Forceps	5*330mm	1	pc.
⑨	102.001	Clip Applier	5*330mm	1	pc.
⑩	101.173	Heavy-Duty Forceps	5*330mm	1	pc.
⑪	LT300	Titanium Clip*6	Medium	4	box




Vet cystoscope and instruments (female)



NO.	Model	Product	Specification	Quantity	Unit
①	J2300X	0° Endoscope	2.7*190mm	1	pc.
②	J2330X	30° Endoscope	2.7*190mm	1	pc.
③	N4009	Sheath & Obturator	9Fr*150mm	1	pc.
④	N4011A31	Sheath & Obturator	9Fr*150mm	1	pc.
⑤	N5151	Biopsy Forceps	5Fr*280mm	1	pc.
⑥	N5152	Serrated Forceps	5Fr*280mm	1	pc.
⑦	N5153	Grasping Forceps	5Fr*280mm	1	pc.
⑧	T7201	In-flow Valve	\	1	pc.
⑨	T7211	Out-flow Valve	\	1	pc.
⑩	U8602	Cleaning Rod	2.5*340mm	1	pc.
⑪	U9910PF	Disinfection Box	430*90*45mm	1	pc.
⑫	T7303	Sealed Cap	\	10	pc.




Vet cystoscope and instruments (male)



NO.	Model	Product	Specification	Quantity	Unit
①	J2930C	30°Endoscope	2.7*110mm	1	pc.
②	G4513XA	30°Sheath two-stopcock (Rotatable)	3.3*110mm	1	pc.
③	G4550XA	Obturator	Blunt type	1	pc.
④	G4530XA	Obturator	Sharp type	1	pc.



Vet arthroscope and instruments




NO.	Model	Product	Specification	Quantity	Unit
①	J2930C	30° Endoscope	2.7*110mm	1	pc.
②	G4513XA	30° Sheath two-stopcock (Rotatable)	3.3*110mm	1	pc.
③	G4550XA	Obturator	Blunt type	1	pc.
④	G4530XA	Obturator	Sharp type	1	pc.
⑤	G5901	Right Angle Probe	3mm×120mm	1	pc.
⑥	G5401	Hook Knife	Φ3mm×105mm	1	pc.
⑦	G5403	Backward Knife	Φ3mm×105mm	1	pc.
⑧	G5404	Spade Knife(straight)	Φ3mm×105mm	1	pc.
⑨	G5408	Meniscus Knife	Φ3mm×105mm	1	pc.
⑩	G5409	Rosette Knife	Φ3mm×105mm	1	pc.
⑪	G5410	Half-round Knife	Φ3mm×105mm	1	pc.
⑫	G5411	Currete	Φ3mm×105mm	1	pc.




Endoscopic Accessories


Grasping Forceps




Mesh Shaped Foreign Body Forceps



Basket Shaped Foreign Body Forceps




Biopsy Forceps




Electric Polyp Snare



Cytology Brush



Clamp Device



Injection Needle

