



A white, rectangular medical device with a lens on the front and ports on the side. The brand name "TK-VETKIT" is visible on the top.

CE

VHP-1315

Veterinary Endoscopy
Image Processor


New generation all-in-one portable &
multi-functional endoscopy system

Four white line-art icons on a blue background: a dog, a cat, a horse, and a bird.

A complete setup including the image processor, a monitor displaying an endoscopic view, a keyboard, and a printer, all mounted on a white adjustable stand with wheels. An endoscope is attached to the top of the stand.

Full HD high-definition CMOS sensor


Excellent image and optimized field of view assist veterinarians to see more clearly and diagnose more precisely during endoscopic surgeries.



All-in-one portable and foldable design for multiple applications



Foldable design




Battery Working Hour≥4h



All-in-one Portable Design



Hospital



Outdoor



Easy for transportation

Compatible with flexible endoscopes and rigid endoscopes

EU Series Flexible endoscopes



GU&GF Series Flexible endoscopes




Rigids endoscopes



15.6" Full HD touch-screen monitor with Medical Record Management System

Support storage of high-definition surgical videos, images, surgical information, graphic reports, printing reports etc.







Support image capturing, selection, editing, report editing, synchronizing operations.

Integrate light source and air/water pump and touch-screen design


3 pump levels adjustable, meet various needs for animals in different sizes to do air inflation and adjust suitable brightness in the cavity.






Clinical Applications

With a variety of specifications, GU/GF series are suitable for animals from small to big, enabling precise examination and treatment of key areas like the stomach, colon, esophagus, uterus, respiratory tract, and ENT.




Product Features



High Definition




Lightweight Handle



140°
Wide Field Of View



Slim Diameter With Large Channel



Water Jet



②Capture
①Record
③Freeze / White balance
Multi-function Buttons

Recommended Specifications

Model	Insertion Tube	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Bending (Left / Right)	Function Keys	Water / air nozzle	Water Jet
EU-120	2.8mm	1.2mm	610mm	120°	3-100mm	210°/130°	120°/120°	3	\	\
EU-140H	4.8mm	2.0mm	1000mm	120°	3-100mm	180°/130°	120°/120°	3	\	\
GF-14F	5.8mm	2.2mm	1500mm	120°	3-100mm	210°/130°	100°/100°	3	Yes	\
GF-14	6.8mm	2.2mm	1500mm	120°	3-100mm	210°/130°	100°/100°	3	Yes	\
GF-14Q	7.8mm	2.8mm	1500mm	120°	3-100mm	180°/130°	100°/100°	3	Yes	\
GU-190FHPL	9.2mm	2.8mm	3000mm	140°	3-100mm	180°/130°	100°/100°	3	Yes	Yes
GU-1B0FHPL	11.5mm	3.2mm	3500mm	140°	3-100mm	180°/180°	160°/160°	3	Yes	Yes