

WELCOME!



MANO MÉDICAL

22 rue Charles de Gaulle 22100 LANVALLAY FRANCE

Tel. +33 (0)2 96 85 86 76

export@manomedical.com

www.manomedical.com



Top quality medical equipment adapted to Vets!

Dear Customers, Dear Partners,

Mano Médical has just celebrated its 25th anniversary with a lovely present: brand-new premises, much larger and better laid out, which will enable us to work in better conditions and further improve our quality of service.

The Mano Médical team continues to grow, to provide you with even more advice, support in your choices and the completion of relevant, innovative and effective solutions. Do not hesitate to call on us!

This 2025 catalogue presents you with the updated scope of our product portfolio, including a number of exciting new solutions.

We hope you will enjoy reading it. Thank you for your confidence.

D. CATINAUD, DVM - General Manager

CONTENTS



PAGE 6

MEDICAL IMAGING



PAGE 12

SURGERY



PAGE 20

DIAGNOSTIC - MONITORING



PAGE 28

CURE & CARE



PAGE 36

CLINIC FITTINGS





MANO MÉDICAL AROUND THE WORLD

Our export department and the Génia's subsidiaries are here to help you.

➤ Cyril DRAULT c.drault@manomedical.com +33 (0)6 37 15 73 34



ASIA, AFRICA, EUROPE Except Germany, Switzerland, Austria, The Netherlands, United Kingdom & Rep. of Ireland

▶ Laurence ELSENSOHN I.elsensohn@manomedical.com +33 (0)7 85 43 40 93



GERMANY, SWITZERLAND, AUSTRIA, THE NETHERLANDS

► Katherine HUGHES k.hughes@genia.fr +44 (0)776 856 9918



UNITED KINGDOM,
REPUBLIC OF IRELAND

➤ Génia USA contact@geniausa.com

AMERICAS

▶ Génia AUSTRALIA contact@geniaaustralia.com **OCEANIA**

▶ Zhimiya contact@zhimiya.com **ASIA**



WE ARE HAPPY TO HELP YOU!

We support you in all your needs and every step of your orders.

We aim to bring to your team full support including marketing tools to help you promote our products.

We develop and select our range of products with VETERINARIAN specifications:

- perfectly adapted for use on animals
- perfectly adapted to veterinarian organisations
- cost-effective

EDUCATIONAL PLATFORM

Benefit from the expertise of veterinarian specialists Subscribe to our YouTube channel!

DID YOU KNOW?

Discover our tips to get advice for use and technical information on our products Subscribe to our newsletter to receive all our information!

Follow us!

www.manomedical.com/en









CUSTOMER SERVICE

+33 (0)2 96 85 86 76

Follow-up of your orders:

Christine HUBER Camille REVEL Patricia HÉRON

order@manomedical.com

Technical assistance, spare parts, repairs:

Patrick BOURMAULT Julien MARTIN Mickaël JACQUES

tech@manomedical.com









WIRELESS DIGITAL X-RAY	8
DIGITAL X-RAY	9
X-RAY GENERATORS	11

Digital X-ray



Medico Imagin



Equine Flat Panel DR Imaging WIFI

- Transported in a rigid, water-proof case highly resistant to impacts
- · Long-life battery
- Small size and handle for easy transportation $(333 \times 282 \times 15 \text{ mm}, 2.8 \text{ kg})$
- · Completely wireless



DRE-DURCHASE EXAMS MADE FASIERI

AUTOMATIC measurements, image labeling, rotation and calibration WITH A SIMPLE CLICK, share images or reports via email or cloud server

Computer not included





SOFTWARE AND ARTIFICIAL INTELLIGENCE

A whole world of possibilities to facilitate the work of equine veterinarians

- Automatic measurements
- Automatic image labeling
- Automatic hoof measurements and mark-up
- Automatic image location, calibration, cropping and rotation
- · No need to predefine a worklist
- No need to return to the computer to label images
- Deep learning: Intellect module learns from experience and improves its detection capabilities



Digital X-ray

FLAT PANEL DR Series



- CE Medical silicium CsL flat panel
- Equipped with highly sensitive AED function
- · High resolution image
- Can be easily connected to and synchronised with any kind of X-ray generators



- Image acquisition within 1" and 3" for wireless pane
- HD resolution (99 µm) available on the 43x43 flat panel
- Wireless flat panel: battery stands for 14 hours (Mano DR94)
- Rigid case made of carbon, polycarbonate and ABS



Mano DR 940



Reference	Size	Connection	Resolution	Utilization	Software
Mano DR 940	43x43	Wired	139 µm	Standard small animal	
Mano DR 941	35x43	Wireless	139 µm	For both Small animal/equine	ManoVet 2.0
Mano DR 942	43x43	Wired	99 µm	HD Small animal	





DEDICATED SOFTWARE ManoVet 2.0

Developed by taking care of every practical detail and by integrating veterinary functionalities.



Computer not included



- and French
- Image quality: Image processing specifically developed for use on animals. Possibility to adjust the image to vets' wishes
- Preset anatomical parts
- · Possibility to save images with different image processing types
- Orientation presets for dogs, cats, horses and exotics
- · Dose presets for every type of image depending on the animal size
- · Automatically add image requests at the end of the image requests list allowing to make images again in case of kinetic blur or wrong dose selection, without having to reprogram image requests manually
- Guided measurements for Vertebra Heart Score
- · Windows or DICOM printing
- · JPG image sharing on the clinic network, allows to integration to the patient file on the management software





Our X-ray generators meet the requirements of the current radiation protection standards.

PORTABLE X-RAY GENERATORS HF 1060

- · High frequency X-Ray generator
- Exposure hand switch
- · Dual laser for easy focal distance setting
- Convenient handling for advanced image quality
- Supplied in a robust carrying case
- · Weight: 12.9 kg



Poskom 20BT Lite

- · High frequency X-Ray generator
- Internal battery or external power supply operation
- Up to 650 exposures on one charge
- · Dual laser for easy focal distance setting
- · Supplied in a robust aluminium carrying case
- Weight: 7.2 kg











MONOPOLAR AND BIPOLAR ESU	14
VESSEL SEALING	15
T.O.M TM - 1 SINGLE INSTRUMENT FOR ALL YOUR SURGERIES	16
SURGICAL PROCEDURES / ANAESTHESIA	18

120W

Monopolar and Bipolar Electrosurgery units Coag&Cut M120

Perfect for daily small to medium surgeries

The high performance **Coag&Cut M120** electrosurgery units has a number of operating modes:

Cutting:

- ▶ CUT = pure Cut
- ▶ BLEND = Cut with Coagulation

Coagulation:

- ▶ FORCED = Superficial Coagulation
- ▶ SOFT = Deep Coagulation
- ▶ BIPOLAR = Standard Bipolar Coagulation





200W

Included accessories:

- · A monopolar handswitch handpiece
- A set of 5 electrodes
- · A patient return plate with cable
- · A bipolar handpiece with cable
- A CUT/COAG double footswitch



Included accessories:

- A monopolar handpiece with a straight blade electrode
- · A set of 10 electrodes
- · A patient return plate with cable
- · A bipolar handpiece with cable
- A single footswitch

Coag&Cut M200.


Perfect tool for intensive daily use

▶ 6SENSE Technology

For more sensitivity

▶ Randomized SPRAY Coag

Homogeneous, superficial & faster coagulation



▶ Smart Surgical Assist

Program manager allowing smart access to programs & settings

▶ Self Diagnosis

Quick identification of errors and immediate solution



THE VETERINARY VESSEL SEALING Seal & Cut MV1

Vessel sealing, monopolar and bipolar electrosurgery **ALL-IN-ONE**



Vessel sealing function for a wide range of clinical applications: ovariectomy, splenectomy, urology, hysterectomy, thoracotomy and more!



Add high-tech precision to your surgical expertise!

- · High withstand tissue seal
- · Minimal thermal spread to adjacent tissue
- Tissue sticking and charring reduction
- Independent activation of bipolar cutting and coagulation





► INNOVATION IN YOUR SURGICAL PRACTICE

5 mm Vessel Sealing Blade

- Seals up to 7 mm of blood vessels and tissue bundles
- Cutting of tissue by blade
- Minimally invasive surgery
- Constant control thermal spread
- Time savings
- Laparoscopy or open surgery





100% French innovation! INTERNATIONALLY PATENTED

T.O.MTM | Tripolar-Open-Multifunctional


Combines all the advantages of both monopolar and bipolar modes WITHOUT their disadvantages!

EFFICIENT

- · Bipolar mode
- Many cutting and coagulation modes
- Improved haemostasis
- Simplified surgical preparation

PROFITABLE

- T.O.M™ replaces many electrosurgical devices
- Autoclavable handpiece
- Time savings resulting from optimised equipment management









NOW THE SURGERY IN ONE GO!

Cutting and coagulation of soft tissue at low voltage without a neutral plate

1 SINGLE INSTRUMENT FOR ALL YOUR SURGERIES

T.O.MTM ELECTRODE 1

Swivels easily with just 1 finger to adapt to all surgical procedures

T.O.MTM AUTOCLAVABLE BIPOLAR FORCEPS (2)

EXTRA T.O.MTM 3

Aspiration of surgical mode and/or tissue irrigation



THE SAFEST FOR BOTH SURGEON AND ANIMAL

- Very low voltage operation
- Constant cutting depth
- No risk to the patient of plate burns
- Smoke evacuation on the production site (Extra T.O.M™)

SUSTAINABLE

- No need of a neutral plate or any additional accessories
- T.O.M™ autoclavable handpiece
- Eco-responsible packaging



Thanks to its ease of use and safety, T.O.M.™ avoids problems of contact with the neutral plate and ensures uniformity of use from one animal to the next.

Sectioning is highly efficient and tissue dissection is easy.»

Dr Pierre DANIEL - CLINIQUE VÉTÉRINAIRE BROCÉLIANDE - FRANCE





SUCTION UNIT Askir 30

Surgery

For a clean and bloodless operating site

- Portable and compact
- Suitable for all surgical procedures
- 1 litre autoclavable collection jar
- Flow: 30 I/minute







OXYGEN CONCENTRATOR VetOxyFLow OC1

High pressure to suit most of the anaesthetic machines

- Fully automatic
- Easy operation
- Silent and compact: 49x27x56 cm
- · Easy maintenance



NEBULIZER

Designed for aerosoltherapy

- Operating air flow: 5.2 I/min
- Pressure: 1.3 bar
- Neb-rate with 4 ml solution: 0.50 ml/min



APNEA DETECTOR apAlert



The original!

Easy anaesthesia respiration monitor

- Visual and acoustic alarms
- Display of seconds passed between two breaths
- Alarms and sensitivity adjustment

LARYNGOSCOPE

Set of 3 straight Miller blades

- •1 x 75 mm Miller blade (n°0)
- •1 x 100 mm Miller blade (n°1)
- •1 x 150 mm Miller blade (n°2)









DIAGNOSTIC MONITORING





MICROSCOPES / ECG	22
DOPPLER	23
PETMAPTM RANGE	
Monitoring	
COMPARISON TABLE	

Diagnostic

Microscopes VetScience



B 01 - BINOCULAR MICROSCOPE A simple but remarkably high-quality instrument designed to be used in veterinary practice

- Achromatic plans (4x/10x/40x et100x)
- Large field ocular 10X /18 mm
- 3W LED lamp, adjustable brightness

B 02 - BINOCULAR MICROSCOPE Ideally designed for intensive use in veterinary practice

- Infinity achromatic plans (4x/10x/40x et 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus

T 03 - TRINOCULAR MICROSCOPE Ideally designed for intensive use in advanced veterinary practice

- Infinity achromatic plans (4x/10x/40x et 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus
- Coaxial focusing knob, course focusing range is
 15mm and fine focusing is graduated in increment of 1 µm.
- · Optional camera and tablet





ELECTROCARDIOGRAPH

Vet ECG-VE 300/3 channels



Essential for further cardiological examination

- LCD three-channels display
- Recording of 7 channels simultaneously
- Printing of 7 channels simultaneously in automatic mode
- AC or battery powered
- · Digital artefacts and interference filter
- Manual and automatic mode
- Adjustable parameters



Diagnostic

Veterinary Doppler Vet BP

Blood pressure measurement, monitoring & small animals' examination

DESIGNED BY MANO MÉDICAL Including 4 cuffs in different sizes, 1 blood pressure probe, a battery charger, a sphygmomanometer, a headset and a tube of gel

3 different probes:

- Blood pressure probe (1)
- Pencil probe for easy exotic animal examination (option) 2
- Transæsophageal probe for use on anaesthetized animals such as a cardiac monitoring solution (option) $(\overline{3})$

Cuff sizes: 4-8 cm, 6-11 cm, 7-13 cm and 8-15 cm





The Doppler measures the flow detection in the artery during anaesthesia, intensive care, serial or general measuring. The veterinary team will hear a sound reflecting the heart rate and pulse.

Blood pressure measurement prior to an infusion:

Arterial pressure can be a suggestive indicator of an animal's condition. The veterinarian can then adjust the infusion according to the results.

Diagnostic

PetMAP™

The Blood Pressure Lead Solution!

Convenient, Easy to use, Accurate and Profitable

PetMAP™ graphic 2

- Systolic and diastolic blood pressure
- Mean arterial blood pressure (MAP)
- Heart rate





PetMAP™ g3

- Systolic and diastolic blood pressure
- Mean arterial blood pressure (MAP)
- Heart rate
- Temperature





PetMAP™ +II BT

- · Systolic and diastolic blood pressure
- Mean arterial blood pressure (MAP)
- Heart rate
- Temperature
- ECG (optional module)
- · Capnography (optional module)

NEW:

Equipped with Bluetooth® to display screenings in real time on a large monitor



include 7 cuffs in different sizes (2, 2.5, 3, 3.5, 4, 4.5 & 5.5 cm)

All the PetMAP™

Available with pulse oxymetry:

PetMAP™ +II SpO₂ BT





Choose the right model to suit your needs!

	PetMAP™ graphic II	PetMAP™ g3	PetMAP™+ II BT	PetMAP™ + II SpO ₂ BT	
Measured parameters	Blood pressure (systolic, diastolic and MAP) Heart rate	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature (esophageal probe sold separately)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature ECG (optional module) Capnograpphy (optional module)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature Pulse oxymetry ECG (optional module) Capnograpphy (optional module)	
Display	4.3" (10.9 cm) touchscreen	5	" (12.7 cm) touchscree	n	
Cuffs inflation	Automatic	Automatic and BP cycle time setting for automatically repeated BP measurements			
Power	4 AA Alkaline	4 AA	NiMH and AC/DC add	apter	
Included accessories	7 cuffs from	n 2 to 5.5 cm	7 cuffs from 2 to 5.5 cm Esophageal probe for temperature	7 cuffs from 2 to 5.5 cm Esophageal probe for temperature SpO ₂ lingual and toe sensors	



The options:

- Large size cuffs: 6.5 8 10 and 13 cm
- Protective cover
- Table and pole mounts



Table mount



Pole mount



Protective cover



Compact and portable veterinary monitor

▶ VitalSurv MM1

Temperature, pulse oxymetry, blood pressure & ECG

▶ VitalSurv MM2

Temperature, pulse oxymetry, blood pressure, ECG & sidestream capnography

- 12" (30 cm) large touchscreen
- Battery operation for efficient post surgical monitoring
- Small and lightweight (5 kg, only 9 cm thick!)
- Possible connection to USB keyboard and mouse
- · Set-up on touchscreen or on front buttons
- · Long-life water trap for capnography (MM2 model)
- ECG 3 channels with alligator clips (15-350 bpm range)
- · Optional adaptable esophageal probes









Capnograph Capno 5

- Real-time CO, waveforms (capnogram)
- End-tidal CO₂ (ETCO₂)
- Fractional inspired CO2 (FiCO_o)
- Respiratory rate (RR)
- Audible and visual apnea alarms
- · Delivered with table mount



Monitoring

CHOOSE SIMPLY AND QUICKLY!

	Τ°	SpO ₂	NIBP	Capno- graphy	ECG	Highlights
Capno 5				1		Small and compact capnograph Very low sample rate suitable for use in a wide range of animals including cats and dogs of all sizes Long-life battery operation
PetMAP+ II BT	√		1			Hold-held device easy to use 12.7 cm (5") touchscreen Rechargeable batteries Cuffs and probes specially developed for use on animals
PetMAP+ II SPO ₂ BT	√	√	1			Hold-held device easy to use 12.7 cm (5") touchscreen Rechargeable batteries Cuffs and probes specially developped for use on animals (2 different sensors for pulse oxymetry
VitalSurv MM1	√	√	√		√	30 cm (12") touchscreen Easy carrying thanks to its handle and lightweight (5 kg) Battery operation for efficient post surgical monitoring Optional adaptors to esophageal probes
VitalSurv MM2	√	√	√	√	√	30 cm (12") touchscreen Easy carrying thanks to its handle and lightweight (5 kg) Battery operation for efficient post surgical monitoring Optional adaptors to esophageal probes Long-life water trap for capnography





Diagnostic Monitoring





CURE & CARE





LASER THERAPY	30
Infusion	32
HEATING MATS	
DENTISTRY	35

Laser Therapy

Laser Therapy LaserFlex LT16









ADAPTED TO CARE AT THE CLINIC AND IN THE FIELD

ERGONOMY:

- Battery operated
- Soundless
- 7" large touchscreen
- Small and lightweight (2.2 kg)

SIMPLICITY:

- 3 wavelengths (640, 810 and 980 nm)
- Intuitive display
- Power pulse mode up to 16W
- 3 different tips for many indications









TYPICAL APPLICATIONS IN VETERINARY MEDICINE:

- · Acute (post-trauma) or chronic (arthritis...) pain treatment
- · Post-surgical or trauma wound healing promotion
- Inflammatory symptom reduction
- Muscle and ligament trauma reduction
- Dental abscesses and gingivostomatitis healing
- Lick granuloma









nfusion



Infusion Pump ManoPump iV1

For safe and precise administration



- Small and light (1.45 kg)
- High performance battery (up to 10 hours run time)
- · Many settings available such as:
 - ✔ Overall infusion volume
 - ✔ Requested flow
 - ✓ Infusion total time
- High sensitivity of settings (bubbles and occlusion pressure)
- Transfusion compatible
- Compatible with all infusion sets dedicated to pumps
- · Kennel mount & IV stand support included ▶





Infusion pump ManoPump iV2

- 2.8" (7 cm) screen
- Simple and intuitive control panel
- Other parameters similar to ManoPump iV1





Infusion



Syringe Pump ManoPump SP1

- Automatic recognition of syringe sizes (5, 10, 20, 30 and 50/60 ml)
- Large touchscreen (4.3" -10.75 cm) for a clear display of parameters
- Multi-function operation with 3 modes: ml/h (time, rate mode), body-weight mode and micro mode

Fluid Warmer Vet Temp3

- Use with standard fluids, blood and TPN fluids
- Accepts standard tubing sets for small animals
- Temperature sensors allow the temperature control of the heating plate







HEATING MAT Carbon Tech V2

Top grade comfort and safety for the patient and for the user!

- ▶ Effective warming
- Even heat distribution
- ▶ Easy to clean and easy to disinfect
- Low maintenance costs
- Energy efficient
- Waterproof
- ▶ Environmentally friendly





Cage model: 52x62 cm (Power: 30W)

Ask for our hypothermia management quide!



Table model: 52x112 cm (Power: 60W)

Good to know about CarbonTech V2:

- · Safe temperature regulation (integrating a sensor and a high accuracy limiter not exceeding 42°C-107.6°F)
- 3 power levels (50%, 80% and 100%) allowing to adjust the power intensity (the speed of heating interval)
- · Safety shutdown after 12 hours of use
- · Disconnectable power block for safe cleaning





Dentistry

Ultrasonic scalerD7 ultrasonic scaler

Including a 400 ml water tank and a detachable and autoclavable handpiece

- · Applications: scaling, periodontal and endodotic treatments
- Optical handpiece for a more convenient operation
- SATELEC compatible handpiece







Vet200 Plus

Portable and powerful Piezo-electric scaler Perfect for veterinary use

- 5 piezo-ceramic tips
- Automatic frequency tracking
- Pressure from 0.1 to 0.5 bar
- EMS compatible detachable handpiece

Cure & Care

MICROMOTOR AND POLISHER Strong



Light, compact and handy for interventions on small animals or devitalized teeth

- Compact and light type E motor
- Regular speed from 0 to 35 000 RPM
- 1:1 contra angle included







CLINIC FITTINGS





LIGHTING	38
HEATED ULTRASONIC CLEANERS	39
DISINFECTION	40

EXAM LAMPS Alfa Flex

- · Lamp diameter: 8.6 cm
- Light field diameter at a distance of 0.50 m: 14 cm
- Temperature: 4 500°K

- · Colour rendering index: 95 Ra
- · Fixing systems: wall, desk or mobile



35 000 Lux at 1 m



VetLight 30 •

- · Lamp diameter: 19.5 cm
- Light field diameter at a distance of 1 m.: 28 cm Control of illuminance in 6 steps
- Temperature: 4000°K and 4500°K
- · Colour rendering index: 95 Ra
- · Models: mobile, ceiling and wall

SURGICAL LAMPS VetLight 80

· Lamp diameter: 30 cm

- 28 LEDs
- · Light field diameter adjustable from 11 to 33 cm · Models: mobile, ceiling, double ceiling

at 1 m

- Temperature: 4500°K and 5000°K
- · Colour rendering index: 94 Ra
- 2 sterilizable handles included



120 000 Lux



NEW!

VetLight U160

- · Lamp diameter: 52 cm
- Light field diameter adjustable from 14 to 23 cm
- Temperature adjustable from 4 500°K to 5 000°K
- · Colour rendering index: 96 Ra
- 29 LEDs
- · Electronic adjustment of the field diameter
- · Models: mobile, ceiling, double ceiling and wall
- 2 sterilizable handles included



Cleaning



Heated ultrasonic cleaners Ultra-C6

6 LITRES

- · Ultrasonic power: 180 Watts max
- Inside dimensions Lxwxh: 300x150x150 mm
- Outside dimensions Lxwxh: 325x180x305 mm
- Stainless steel tank
- Stainless steel basket with 10mm mesh + lid
- Heating power: 300 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- Evacuation valve







The investment in a heated ultrasonic cleaner will be quickly profitable. In addition, it needs a low quantity of cleaning concentrate: between 2 and 5% of water volume

Ultra-C15

- Ultrasonic power: 360 Watts
- Inside dimensions Lxwxh: 330x300x150 mm
- Outside dimensions Lxwxh: 360x330x330 mm
- Stainless steel tank
- Stainless steel basket with 10mm mesh + lid
- Heating power: 400 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- · Evacuation valve







Clinic Fittings

AIR PURIFIER Hygéolis •

Do not mask the odors, **ELIMINATE them!**

- Efficient: intensive or continuous odor elimination
- Cost savings: low energy consumption
- User-friendly: plug & play, compact, soundless
- Made in France



Hygéolis allows you to:

- ✔ Protect your staff
- ✔ Protect animals
- ✓ Improve working and reception conditions

UV-C GERMICIDAL FLOW LAMP Aseptor ____

One of the most effective methods of safe air desinfection to get rid of micro organism in your

- Extremely effective thanks to its high-energy radiation
- Safe for people and animals
- Easy to use, maintenance free
- 2 models:
 - ASEPTOR 236: up to 35m² (90m³)
 - ASEPTOR 255: up to 60m² (150m³)



Move easily your Aseptor lamp:

- Operating room
- Kennel
- · Reception area







AIR PURIFIER EOLIS Air Manager

Made in France



- · Protection from viruses, bacteria, spores and chemicals
- · Anywhere in the clinic (operation room, laboratory, consulting room, reception area...)



- · Constantly adapts to the level of pollution in the room
- · View air quality in real time
- Medical-grade filtration system





✔ Air and surface decontamination in veterinary clinics

✔ Protection of professionals (exposure to anaesthetic gases, disinfectants, etc.)

✓ Animal protection (e.g. canine parvovirus, feline calicivirus, staphylococcus aureus...)

EOLIS Air Manager efficiency tested by independent laboratories:

Air



eliminated in 10 min.

96%

Aspergillus Coronavirus 229E brasiliensis eliminated in a single pass



Staphylococcus epidermidis eliminated in a single pass



Murine norovirus and Adenoviruses type 2 eliminated within 1 hour (DeepClean mode)



Surfaces

Staphylococcus aureus eliminated within 1hour (DeepClean mode)



Air Coach

Measures, displays and analyzes your clinic air quality


- High precision sensors allowing to measure CO₂, Volatile Organic Compounds (VOCs), fine particules...
- Gauges indicating the concentration of each pollutant in the air and displaying the general status of indoor air quality





INDEX

EQUIPMENT PAGE	Page
Air purifier	40
Apnea detector	19
Blood pressure devices	23
Camera for microscope	22
Capnograph	26
Digital X-ray software	10
Doppler	23
Electrocardiograph	22
Electrosurgery units	14
Equine flat panel	8
Exam lamps	38
Flat panel	9
Fluid warmer	33
Germicidal flow lamp	40
Heated ultrasonic cleaners	39
Heating mat	34
Infusion pump	32
Laryngoscope	19
Laser therapy device	30
Micromotor	35
Microscope	22
Multiparameter monitoring	26
Nebulizer	19
Oxygen concentrator	19
petMAP™	24
Polisher	35
Suction unit	18
Surgical lamps	38
Syringe pump	33
Tablet for microscope	22
Ultrasonic scaler	35
UV-C air desinfection	40
Vessel sealing electrosurgery unit	15
Wireless flat panel	8
X-ray generators	11





AT YOUR SERVICE



We always have new solutions to meet your needs!

Visit our website: www.manomedical.com/en

Follow us:













22 rue Charles de Gaulle 22100 LANVALLAY FRANCE

Tel. +33 (0)2 96 85 86 76 export@manomedical.com

